

LIGHT UP YOUR PROJECT



OUR PRODUCTS

CONCEPT

FAMILY



SIDEMOUNT



CP0401

CP0403

CP0426

CP0472




CPG0401

MOUNTING ARMS (STD)



CF21



CF23



CF28



CF31

MOUNTING ARMS (SLD)



CF68



CF69



CF70



CF71



CF72

*Directly mounted to the pole

ARM ADAPTORS



SLF



BEL



SIDEMOUNT

SIDEMOUNT

TECHNICAL DATA

- **Distribution:** II-III-IV-V
- **Voltage:** 120-277, 347-480
- **LED wattage:** 30-120

OPTIONS

- **HSS:** House side shield
- **BTP:** Button type photocell

CONCEPT

FAMILY



CPL4608

PENDANT

PENDANT



CPL0101



CPL0204



CPL0209



CPL0228



CPL0401



CPL0405



CPL0406



CPL0408



CPL0427



CPL0605



CPL0606



CPL0628



CPL4608



CPL4609



CPL06105



CPL6127



CPL6404



CPL6406



CCP0406



CPF0432



CPF0632



CPGLO418



CPM0127



CPM0206



CPM0406



CPR0662

MOUNTING ARMS



CF34



CF37



CF38



CF39



CF4



CF4-PT



CF41



CF42



CF44



CF48



CPL6104

PENDANT

TECHNICAL DATA

- **Distribution:** II-III-IV-V
- **Voltage:** 120-277, 347-480
- **LED wattage:** 30-120


OPTIONS

- **HSS:** House side shield
- **BTP:** Button type photocell
- **EKF:** Pendant arm adaptor for Ø2.375" (60mm) arms

For more information and all the IES files, please visit our website at: lumca.com



POST-TOP



MOUNTING ARMS



TECHNICAL DATA

- **Distribution:** II-III-IV-V
- **Voltage:** 120-277, 347-480
- **LED wattage:** 30-120

OPTIONS

- **HSS:** House side shield
- **BTP:** Button type photocell















CONCEPT

FAMILY









POST-TOP
YOKE

POST-TOP

			
CP7201	CP7212	CP7214	CP7221
			
CP7413	CP7415	CP7421	CP8220
			
CP8401	CP8403	CP8420	CP9119
			
CP9124	CP9423		

MOUNTING ARMS

		
CCB	CCE	CCG
		
CF52	CF53	CF54

POST-TOP
YOKE


TECHNICAL DATA

- **Distribution:** II-III-IV-V
- **Voltage:** 120-277, 347-480
- **LED wattage:** 30-120


OPTIONS

- **HSS:** House side shield
- **BTP:** Button type photocell


ACCESSORIES




LR-S




LR-D




BEN-S




BH60-23-S




BH60-23-D




BH80-18-S




BH80-18-D




LP




MK




MK-R (red)




MK-G (green)




MK-B (blue)




MK-W (white)




LF - GFR




LF-GFR-ICA




LF-GFR-ICP



LF-GFR-ICR



PED



SKT

RAIL POLE ACCESSORIES



LF-MK-R



LF-MK-G



LF-MK-B



LF-MK-W



LF-BR



LF-B1



LF-B2




LF-SH



LF-BH



LF-LRS



BOLLARDS



BLMA



BLMC



BLML



BLMS



BLVC



NOTE



HEIGHT ADJUSTABLE
ATTACHMENT FOR
ACCESSORIES

LUUMA

FAMILY

SIDEMOUNT



For more information consult factory

TECHNICAL DATA

- **Distribution:** II-III-IV-V
- **Voltage:** 120-277, 347-480
- **LED wattage:** 30-150

OPTIONS

- **HSS:** House side shield
- **BTP:** Button type photocell
- **TRP7:** 7 pins twist lock photocell receptacle C/W shorting cap.

SCONCES



BOLLARDS



COLLUMNS



LUUMA


FAMILY



CURVE (LU-CU)

LUUMA

CURVE



ARCH (LU-AR)




ACCENT LIGHTING



DEGREE LU-DG
DECORATIVE

DEGREE LU-DGF
FONCTIONAL



LU-DG and LU-DGF

LUUMA

DEGREE



LUUMA

FOG

SMART POLE

FAMILY

BRIGHT LIFE

CONNECTIVITY SYSTEM

WiCastr


CONTENT PUSH



MULTIPLE SENSORS



WI-FI



SECTION VIEW



CAMERAS



PROJECTOR



COMMUNICATION



BRACKET



SECURITY




BENCHES


GFCI AND USB CONNECTORS

Main Street

SIGNAGE



USER-FRIENDLY
DASHBOARD



REMOTE CONTROL
OF DEVICES

ADVANTAGES

- IMPROVE TRUST BY KNOWING DEVICE STATUS 24/7
- REMOTE MANAGEMENT OF DEVICES THAT GATHER DATA
- LOWER ENERGY COSTS THROUGH DIMMING OF LIGHTS (24/7 METERING)
- LOWER MAINTENANCE COSTS
- ENHANCE EXPERIENCE THROUGH SCMS

SMART POLE FOR SMART CITIES™


For more information and all the IES files, please visit our website at: lumca.com

OVAALI

FAMILY




OL35




ROADWAY

OL30



**ROADWAY
AND PEDESTRI-
AN**



OL30



OL35

MOUNTING ARMS



CF68



CF69



CF70



CF71



CF72

TECHNICAL DATA

- **Distribution:** II-III-IV-V
- **Voltage:** 120-277, 347-480
- **LED wattage:** 30-350

OPTIONS

- **HSS:** House side shield
- **TRP7:** 7 pins twist lock photocell receptacle C/W shorting cap.

TANGO

FAMILY



BIKE RACK
TG-BR-LED



PLANTER
TG-FP1-LED



BENCH WITH BACKREST
TG-BE2-LED



TG04-14C-TG06-18C-BTG

TG-CL-48

TG-CL-60

TG-CL-72

TG04-14C-TG06-18C-BTG

CITII

FAMILY



PR8476



PR8276

COSMO

FAMILY



PR8475



PR8275

TECHNICAL DATA

- **Distribution:** II-III-IV-V
- **Voltage:** 120-277, 347-480
- **LED wattage:** 30-120

For more information and all the IES files, please visit our website at: lumca.com

Lumca: where form and function really meet.

Do you envision a new development project with stunning lighting that simply guarantees the wow factor with your clients? Do you have pragmatic concerns regarding your luminaires, such as their useful life, robustness and easy maintenance? Are you fed up of the typical cookie-cutter approach to lighting and craving true breakthrough lights?

Lumca lights up new possibilities.

Lumca has many decades of experience in designing and manufacturing lighting products that are both beautiful and brilliant. We have forged an enviable reputation as a lighting manufacturer that strikes the perfect balance between aesthetics, practicality and sheer innovation. We go beyond just “developing” lights. We tap into the needs of our clients to create appealing light designs—with ingenious features, such as tool-less maintenance, highly efficient optical systems, and detachable parts that can be mixed and matched in a variety of ways.

There’s R&D. And then there’s Lumca R&D. With an innovation-driven culture and commitment to high performance, we ensure that the quality of our products surpasses industry standards. From our designs to the materials we use to our manufacturing processes, Lumca provides crave-worthy lighting products for large-scale projects and prestigious clients across North and Central America.

All of our luminaires are handmade, attesting to the level of expertise and craftsmanship only Lumca can provide. Thanks to our simple, disposal-free, and organic plating process, you can rest assured you are getting marine-grade luminaires with just one coat of treatment and without producing any greenhouse gases. What’s more? All of Lumca’s luminaires undergo over 5000 hours of saline fog tests—the highest in the industry. Robustness and environmentally friendly luminaires? Lumca’s product components and processes can contribute to LEED points.

In addition, Lumca’s luminaires are mainly made out of extruded, non-porous aluminum, which means all of our lighting solutions are extremely lightweight—a great bonus when calculating loads on poles. Need even more flexibility for custom projects? The processes with which we can bend our aluminum and cut it to any size means that you can get exactly the type of luminaire design you want.

Lumca warranty product statement

Lumca Inc. is committed to fulfill a warranty of:

- LED light engine against defects in material and workmanship for a period of ten (10) years from the date of invoice.
- LED power component (drivers) against defects in material and workmanship for a period of ten (10) years from the date of invoice.
- Poles, fixtures and other accessories against defects in material and workmanship for a period of ten (10) years from the date of invoice.

Paint finish

- Lumca Inc. is committed to fulfill a warranty against peeling, cracking and discoloration on the finish of its fixtures for a period of ten (10) years from the date of the invoice. All visible painted surfaces of the final assembled product are covered.

We’re certified!

Lumca’s products are tested and certified at independent laboratories to guarantee compliance with national and international standards that govern the lighting industry.



lumca.com